Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		connectivit\$5 same binar\$5 adj3 image\$2 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same(characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:16
		"307" and @ad<"19991007" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:22
		dot\$1 adj2 (parameter\$5 characteristic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:23
L6	6	("5166986").URPN.	USPAT	OR	ON	2005/05/19 15:05
L7	2	("5854882").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:08
L8	2	("6538762").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:08
L9	7	(connectivit\$5 with binar\$5 adj3 image\$2) same characteristic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:11
L10	7	(connectivit\$5 with binar\$5 adj3 image\$2) same (characteristic\$5 profile\$5 printer adj2 attribut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:14
L11	0	connectivit\$5 same binar\$5 adj3 image\$2 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) adj2 (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:16

L12	3	connectivit\$5 same binar\$5 adj3	US-PGPUB;	OR	ON	2005/05/19 15:25
	3	image\$2 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .	·	2005/05/19 15:25
L13	2	jp-2004222005-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:19
L14	592	connectivit\$5 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
L15	161	14 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
L16	15	connectivit\$5 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5) and (binary\$5 adj2 image\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:23
L17		16 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L18	8	connectivit\$5 same binar\$5 same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) same (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L19	83	connectivit\$5 with (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 copy adj2 machine\$5 record\$5 adj2 apparatus\$5) with (characteristic\$5 profile\$5 attribut\$5 information\$5 parameter\$5 environment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25

			,			
L20	27	19 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:25
L21	9121	(358/1.1, 358/1.11, 358/1.15). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:12
L22	14	21 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:13
S1	2	("6538762").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:51
S2	0	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot adj2 connectiv\$5 adj4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 13:53
S3	. 23	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot adj4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:07
S4	12	S3 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:10
S5	. 55	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 adj2 (characteristic\$5 attribut\$5 parameter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/04/06 14:27
S6	32	S5 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22

S7	27	S6 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:13
S8	5	(("5696853") or ("6031627")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:21
S9	1	(control\$5 near4 dot\$5 near4 connectivit\$5) same (characteristic\$5 parameter\$5 reproducibilit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:24
S10	2	JP-2001111825-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/04/06 14:24
S11 ·	2	(control\$5 near4 dot\$5 near4 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:25
S12	25	(dot\$5 near4 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:25
S13	7	S12 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:32
S14	1108	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 with connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:31
S15	449	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with (dot\$2 near6 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:36
S16	698	control\$5 with dot\$5 adj4 connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:35

				1		
S17	342	S15 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:36
S18	1	control\$5 with dot\$5 adj4 connectivit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:35
S19	3	dot\$5 adj4 connectivit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:35
S20	104	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) with control\$5 with dot\$2 with (characteristic\$5 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:43
S21	71	S20 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:59
S22	38	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) adj4 (characteristic\$5 parameter\$5) same (dot\$5 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:09
S23	22	S22 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:16
S24	0	JP-411187259-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:04
S25	2	JP-11187259-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:04

S26	675663	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) nearj4 (characteristic\$5 parameter\$5) same (dot\$5 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:10
S27	68	(image adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5 printer\$5 marking\$5 adj2 apparatus\$5) near4 (characteristic\$5 parameter\$5) same (dot\$5 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:10
S28	42	S27 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:16
S29	20	S28 not S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:19
S30	9	(binar\$5 with dot\$5 adj2 (parameter\$5 characteristic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:23
S31	689	dot\$1 adj2 (parameter\$5 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:24
S32	9	dot\$1 adj2 (connectivit\$5 isolat\$5) with (parameter\$5 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:31
S33	2	("6546364").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/05/18 14:36
S34	3	(dot\$2 adj2 inter adj2 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:03

				T		<u></u>
S35	1	(half adj2 tone\$5 adj3 (connectivit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:38
S36	1	(dot\$2 adj2 connectivit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:32
S37	0	(dot\$2 near4 connectivit\$5 near4 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:15
S38	2	(dot\$2 with connectivit\$5 with parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:15
S39	805	(control\$5 adj4 print\$5 adj2 dot\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:17
S40	10	(control\$5 adj4 print\$5 adj2 dot\$2) with (characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S41	357	(print\$5 adj2 dot\$2) with (characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S42	402	(print\$5 adj2 dot\$2) with binar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S43	402	(print\$5 adj2 dot\$2) with binar\$5 same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:22
S44	239	S43 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33

				,		
S45	0	(connectivit\$5 adj2 parameter\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S46	. 2	jp-2001111825-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:32
S47	112	(connectivit\$5 adj2 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S48	0	(connectivit\$5 adj2 parameter\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S49 _.	37	(connectivit\$5 adj2 parameter\$5) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:33
S50	12	S49 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:40
S51	29	(connectivit\$5 adj4 binar\$5 adj3 image\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:11
S52	18	S51 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52
S53	1	JP-03139783-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:50
S54	98	(connectivit\$5 with binar\$5 adj3 image\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52

S55	52	S54 and @ad<"19991007"	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/05/18 16:52
S56	_. 34	S55 not S52	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:52